BBA

Protein Structure &
Molecular Enzymology
Vol. 1078, 1991

Cumulative Contents

Regular Papers

Electrostatic effects in the α-chymotrypsin-catalyzed acyl transfer. I. Influence of different inorganic salts
V. Schellenberger, M. Kosk, H.-D. Jakubke and A. Aaviksaar (F.R.G., U.S.S.R.) 1

Electrostatic effects in the α-chymotrypsin-catalyzed acyl transfer. II. Efficiency of nucleophiles bearing charged groups in various locations
V. Schellenberger, H.-D. Jakubke and V. Kasche (F.R.G.) 8

Characterization and purification of the hyaluronan-receptor on liver endothelial cells
N. Forsberg and S. Gustafson (Sweden) 12

The d-spacing of collagen from mitral heart valves changes with ageing, but not with collagen type III content
V.J. James, J.F. McConnell and M. Capel (Australia, U.S.A.) 19

Kinetic analysis of the interaction between type 1 plasminogen activator inhibitor and vitronectin and evidence that the bovine inhibitor binds to a thrombin-derived amino-terminal fragment of bovine vitronectin
D. Seiffert and D.J. Loskutoff (U.S.A.) 23

Vitamin K-dependent carboxylase: utilization of decarboxylated bone Gla protein and matrix Gla protein as substrates
J.A. Engelke, J.E. Hale, J.W. Suttie and P.A. Price (U.S.A.) 31

Effect of dithiothreitol on the catalytic activity, quaternary structure and sulfonamide-binding properties of an extracellular carbonic anhydrase from *Chlamydomonas reinhardtii*
H.D. Husic, S. Hsieh and A.L. Berrier (U.S.A.) 35

Estimation of kinetic parameters in the inactivation of an enzyme by a suicide substrate
T. Funaki, Y. Takanohashi, H. Fukazawa and I. Kuruma (Japan) 43

Characterization of tightly bound substrates in pure preparations of dihydrofolate reductase: implications for studies on enzymes
E.A. Williams and J.F. Morrison (Australia) 47

Mitochondrial DNA topoisomerase I from human platelets
M.J. Kosovsky and G. Soslau (U.S.A.) 56

Amino acid sequence of a globin from the sea cucumber *Caudina (Molpadia) arenicola*
F. Mauri, J. Omnaas, L. Davidson, C. Whitfill and G.B. Kitto (U.S.A.) 63

Purification and properties of two forms of ATP sulfurylase from *Euglena*
J. Li, T. Saidha and J.A. Schiff (U.S.A.) 68

A structural study of calcium-binding equine lysozyme by two-dimensional ^{1}H-NMR
H. Tsuge, K. Koseki, M. Miyano, K. Shimazaki, T. Chuman, T. Matsumoto, M. Noma, K. Nitta and S. Sugai (Japan) 77

The major component of a large, intracellular proteinase accumulated by inhibitors is a complex of α_2-macroglobulin and thrombin
A. Tsuji, T. Arai, P.S. Furcinitti, J.P. Langmore and K. Kurachi (U.S.A.) 85

Evidence for an acid-induced molten-globule state in interleukin-2; a fluorescence and circular dichroism study
D. Dryden and M.P. Weir (U.K.) 94

Two-dimensional NMR studies of Des-(B26–B30)-insulin: sequence-specific resonance assignments and effects of solvent composition
Q.-X. Hua and M.A. Weiss (China, U.S.A.) 101

Physical, chemical and immunological properties of the bacterioferritins of *Escherichia coli, Pseudomonas aeruginosa* and *Azotobacter vinelandii*
S.C. Andrews, J.B.C. Findlay, J.R. Guest, P.M. Harrison, J.N. Keen and J.M.A. Smith (U.K.) 111

Reports

Interaction of β-cyclodextrin with the granular starch binding domain of glucoamylase
N.J. Belshaw and G. Williamson (U.K.) 117

Inhibition of mammalian adenosine deaminase by novel functionalized 2′,3′-dideoxyadenosines
V. Nair, G.S. Buenger and T.B. Sells (U.S.A.) 121

Rapid Report

Determination of the maximum velocity and Michaelis constant of enzymes by a fixed-point

method which avoids the necessity to measure initial rates
R.G. Duggleby (Australia) 124

Regular Papers

Characterization of *Bacillus stearothermophilus* cyclodextrin glucanotransferase in ascorbic acid 2-*O*-α-glucoside formation
M. Tanaka, N. Muto and I. Yamamoto (Japan) 127

The effect of kirromycin on the metal ion coordination in complexes of elongation factor Tu from *Bacillus stearothermophilus* as inferred from the ^{17}O-^{55}Mn superhyperfine interaction
H.R. Kalbitzer and A. Wittinghofer (F.R.G.) 133

Purification and molecular characterization of a secretory transglutaminase from coagulating gland of the rat
J. Seitz, C. Keppler, S. Hüntemann, U. Rausch and G. Aumüller (F.R.G.) 139

Characterization of an acyltransferase acting on $p21^{N\text{-}ras}$ protein in a cell-free system
L. Gutierrez and A.I. Magee (U.K.) 147

Binding of NAD^+ to pertussis toxin
M.D. Lobban, L.I. Irons and S. Van Heyningen (U.K.) 155

Post-transcriptional regulation of *S*-adenosyl-methionine synthetase from its stored mRNA in germinated wheat embryos
M. Mathur, D. Saluja and R.C. Sachar (India) 161

Purification and characterization of the recombinant human aldose reductase expressed in baculovirus system
C. Nishimura, T. Yamaoka, M. Mizutani, K. Yamashita, T. Akera and T. Tanimoto (Japan) 171

Enzymological properties of poly(ADP-ribose) polymerase: characterization of automodification sites and NADase activity
Y. Desmarais, L. Ménard, J. Lagueux and G.G. Poirier (Canada) 179

Identification and localization of ATP-diphosphohydrolase (apyrase) in bovine aorta: relevance to vascular tone and platelet aggregation
Y.P. Côté, M. Picher, P. St-Jean, R. Béliveau, M. Potier and A.R. Beaudoin (Canada) 187

Two-stage autolysis of the catalytic subunit initiates activation of calpain I
U.-J.P. Zimmerman and W.W. Schlaepfer (U.S.A.) 192

An EPR study to determine the relative nucleic acid binding affinity of single-stranded DNA-binding protein from *Escherichia coli*
E.V. Bobst, F.W. Perrino, R.R. Meyer and A.M. Bobst (U.S.A.) 199

^{1}H-NMR studies of bovine platelet factor 4: histidine assignments and interactions with heparin
C.J. Talpas, D.A. Walz and L. Lee (Canada, U.S.A.) 208

The nature of inhibition of 3-hydroxy-3-methylglutaryl CoA reductase by garlic-derived diallyl disulfide
R.V. Om Kumar, A. Banerji, C.K. Ramakrishna Kurup and T. Ramasarma (India) 219

Kinetic properties of 25-hydroxyvitamin D- and 1,25-dihydroxyvitamin D-24-hydroxylase from chick kidney
M. Burgos-Trinidad and H.F. DeLuca (U.S.A.) 226

Beware of proteins in DMSO
M. Jackson and H.H. Mantsch (Canada) 231

Modulation of the interaction between aldolase and glycerol-phosphate dehydrogenase by fructose phosphates
B.G. Vértessy, F. Orosz and J. Ovádi (Hungary) 236

Collagen in the ageing human intervertebral disc: an increase in covalently bound fluorophores and chromophores
S.E. Hormel and D.R. Eyre (U.S.A.) 243

Characterization of arylsulfatase C isozymes from human liver and placenta
R. Shankaran, M. Ameen, W.L. Daniel, R.G. Davidson and P.L. Chang (Canada, U.S.A.) 251

Exploring borate-activated electron-rich glyoxals as the arginine-reactivity probes. The reactivities of functionally critical arginines in some representative enzymes
K. Baburaj, A. Saeed, N. Azam and S. Durani (India) 258

Structural analysis of the small chain of the 2S albumin, napin nIII, from rapeseed. Chemical and spectroscopic evidence of an intramolecular bond formation
R.I. Monsalve, M. Villalba, C. López-Otín and R. Rodríguez (Spain) 265

The hemoglobins of the cold-adapted Antarctic teleost *Cygnodraco mawsoni*
C. Caruso, B. Rutigliano, M. Romano and G. Di Prisco (Italy) 273

The number of cooperative regions (energetic domains) in a pepsin molecule depends on the pH of the medium
A.A. Makarov, I.I. Protasevich, E.G. Frank, I.B. Grishina, I.A. Bolotina and N.G. Esipova (U.S.S.R.) 283

Acid denatured apo-cytochrome *c* is a random coil: evidence from small-angle X-ray scattering and dynamic light scattering
G. Damaschun, H. Damaschun, K. Gast, C. Gernat and D. Zirwer (F.R.G.) 289

The determination of the pK_a of histidine residues

in proteins by Raman difference spectroscopy
K.T. Yue, M. Lee, J. Zheng and R. Callender (U.S.A.) 296

Report

Purification and properties of AMP-deaminase from human uterine smooth muscle. Regulation by adenylate energy charge and activated fatty acids
G. Nowak, G. Nagel-Starczynowska and K. Kaletha (Poland) 303

Erratum 305

Regular Papers

Raman spectroscopic study on the structure of ribonuclease F_1 and the binding mode of inhibitor
H. Takeuchi, I. Harada and H. Yoshida (Japan) 307

Folding studies of the cysteine proteinase inhibitor – human stefin A
E. Žerovnik, B. Lenarčič, R. Jerala and V. Turk (Yugoslavia) 313

Binding sites of pyridine in cytochrome *P*-450cam
O. Ristau and C. Jung (F.R.G.) 321

Salt hydrates buffer water activity during chymotrypsin-catalysed peptide synthesis
P. Kuhl and P.J. Halling (U.K.) 326

Characterization of a novel 14 kDa bile acid-binding protein from rat ileal cytosol
M.C. Lin, Y. Gong, K.F. Geoghegan and F.A. Wilson (U.S.A.) 329

Proton pathways in lysozyme
S. Bone (U.K.) 336

The interaction of [^{13}C]-enriched colchicine with tubulin as determined by NMR spectroscopy
A.A. Osei, G.W. Everett, I. Ringel and R.H. Himes (U.S.A., Israel) 339

Modulation of lipase hydrolysis and synthesis reactions using carbohydrates
J.M. Sanchez-Montero, V. Hamon, D. Thomas and M.D. Legoy (France) 345

Electron paramagnetic resonance investigations of exogenous ligand complexes of low-spin ferric chloroperoxidase: further support for endogenous thiolate ligation to the heme iron
M. Sono, L.P. Hager and J.H. Dawson (U.S.A.) 351

Characterization of a family of high-molecular-weight plasminogen activators secreted by a lung tumor cell line
S.R. Harvey, J. Randall Loftus, E.L. Hurley, M.E. Ross and G. Markus (U.S.A.) 360

Isolation and characterization of a thermolabile β-2 macroglycoprotein ('thermolabile substance' or 'Hakata antigen') detected by precipitating (auto) antibody in sera of patients with systemic lupus erythematosus
Y. Yae, S. Inaba, H. Sato, K. Okochi, F. Tokunaga and S. Iwanaga (Japan) 369

Distribution and purification of aspartate racemase in lactic acid bacteria
H. Okada, M. Yohda, Y. Giga-Hama, Y. Ueno, S. Ohdo and H. Kumagai (Japan) 377

The complete amino acid sequence of growth hormone of the bullfrog (*Rana catesbeiana*)
T. Kobayashi, A. Yasuda, K. Yamaguchi, H. Kawauchi and S. Kikuyama (Japan) 383

Purification and characterization of cytochrome $P\text{-}450_{14DM}$ (lanosterol 14α-demethylase) from pig liver microsomes
H. Sono, Y. Sonoda and Y. Sato (Japan) 388

Localization, isolation and properties of three NADPH-dependent aldehyde reducing enzymes from dog kidney
M. Ohta, T. Tanimoto and A. Tanaka (Japan) 395

Isolation and characterization of thermostable chitinases from *Bacillus licheniformis* X-7u
T. Takayanagi, K. Ajisaka, Y. Takiguchi and K. Shimahara (Japan) 404

Metabolic stereoisomeric inversion of ibuprofen in mammals
C.-S. Chen, W.-R. Shieh, P.-H. Lu, S. Harriman and C.-Y. Chen (U.S.A., Republic of China) 411

Cumulative Contents Vol. 1078 419

Author Index 423